



10 Precision Road
Danbury, CT 06810 USA

T +1-203-792-6700
F +1-203-790-8645

E jovil@jovil.com
W www.jovil.com

JV100BE, JV250, SMC-1

4" SIDE SLIDER SHUTTLES CAPACITY (FEET / METERS)

PART NUMBER	F.I.D. INCHES/mm	#22 0.642	#24 0.510	#26 0.403	#28 0.320	#30 0.254	#32 0.201	#34 0.160	#36 0.127	#38 0.100	#40 0.079	#42 0.063	SHUTTLE PULLEY	SLIDER
205.0005 4 X 3S5	.180" 4.57 mm				9 2.7	15 4.5	25 7.6	38 11.5	55 16.7	90 27.4	140 42.6	224 68.2	210.1013 T210-12	K
205.0006 4 X 3S	.219" 5.56 mm				15 4.5	30 9.1	45 13.7	75 22.8	100 30.4	190 57.9	300 91.4	485 147.8	210.1002 T210-6B	K
205.0008 4 X 3M	.250" 6.35 mm			25 7.6	35 10.6	60 18.2	85 25.9	140 42.6	190 57.9	330 100.6	545 166.1	900 274.3	210.1002 T210-6B	J
205.0009 4 X 3	.300" 7.62 mm			36 10.9	55 16.7	85 25.9	130 39.6	210 64.0	315 96.0	475 144.8	825 251.5	1250 381.0	210.1010 T211-2-1A	H
205.0010 4 X 4S	.350" 8.89 mm			40 12.1	65 19.8	115 35.0	190 57.9	300 91.4	370 112.8	600 182.9	1000 304.8	1670 509.1	210.1010 T211-2-1A	H
205.0053 4 X 3L	.375" 9.52 mm			85 25.9	125 38.1	220 67.0	375 114.3	550 167.6	800 243.9	1260 384.1	1800 548.7		210.1010 T211-2-1A	H
205.0012 4 X 4M	.437" 11.09 mm			110 33.5	150 45.7	270 82.3	440 134.1	690 210.3	875 266.7	1430 435.9	2100 640.2		210.1010 T211-2-1A	H
205.0013 4 X 4	.500" 12.70 mm	55 16.7	95 28.9	145 44.2	220 67.0	380 115.8	570 173.7	940 286.5	1225 373.4	1850 564.0	2800 853.6		210.1010 T211-2-1A	G



10 Precision Road
Danbury, CT 06810 USA

T +1-203-792-6700
F +1-203-790-8645

E jovil@jovil.com
W www.jovil.com

JV100BE, JV250, SMC-1

4" ROUND BELT SHUTTLES CAPACITY (FEET / METERS)

PART NUMBER	F.I.D. INCHES/mm	#18 1.023	#20 0.812	#22 0.642	#24 0.510	#26 0.403	#28 0.320	#30 0.254	#32 0.201	#34 0.160	#36 0.127	#38 0.100	#40 0.079	SHUTTLE PULLEY	WINDING BELT
205.0020 4 X 3/32B	.093" 2.36 mm									22 6.7	42 12.8	68 20.7	85 25.9	210.1011 T210-8R	178.5000C 2-050
205.0022 4 X 100B	.100" 2.54 mm							20 6.0	35 10.6	40 12.1	50 15.2	83 25.3	125 38.1	210.1013 T210-12	178.5002C 2-160
205.0023 4 X 1/8B	.125" 3.17 mm						15 4.5	25 7.6	34 10.3	50 15.2	75 22.8			210.1001 T210-6R	178.5002C 2-160
205.0051 4 X 35B	.160" 4.06 mm					11 3.3	20 6.0	32 9.7	55 16.7	65 19.8	100 30.4	190 57.9		210.1002 T210-6B	178.5007C 2-258
205.0050 4 X 4B	.200" 5.08 mm				15 4.5	28 8.5	40 12.1	75 22.8	125 38.1	145 44.2				210.1002 T210-6B	178.5014C 2-358
205.0056 4 X 3B	.270" 6.85 mm			11 3.3	22 6.7	35 10.6	50 15.2	80 24.3	140 42.6					210.1009	178.5016C 2-365
205.0011 4 X 4SBOS	.280" 7.11 mm	5 1.5	9 2.7	20 6.0	30 9.1	45 13.7	65 19.8	100 30.4						210.1010 T211-2-1A	178.5021C 2-440
205.0040 4 X 4SBNS	.300" 7.62 mm	5 1.5	9 2.7	20 6.0	30 9.1	45 13.7	65 19.8	100 30.4						210.1010 T211-2-1A	178.5021C 2-440

JV100BE, JV250, SMC-1

SLIDER

PART NUMBER	WIRE RANGE AWG mm	PART NUMBER	WIRE RANGE AWG mm	PART NUMBER	WIRE RANGE AWG mm	PART NUMBER	WIRE RANGE AWG mm
K3	#40-42 0.079-0.063 mm	H6	#30-32 0.254-0.201 mm	Q4	#38-40 0.100-0.079 mm	M7	#26-28 0.403-0.320 mm
K4	#36-38 0.127-0.100 mm	H7	#26-28 0.403-0.320 mm	Q5	#34-36 0.160-0.127 mm	M8	#22-24 0.642-0.510 mm
K5	#32-34 0.201-0.160 mm	G4	#38-40 0.100-0.079 mm	Q6	#30-32 0.254-0.201 mm	N4	#36-38 0.127-0.100 mm
K6	#28-30 0.320-0.254 mm	G5	#34-36 0.160-0.127 mm	Q7	#26-28 0.403-0.320 mm	N5	#32-34 0.201-0.160 mm
J3	#42-44 0.063-0.050 mm	G6	#30-32 0.254-0.201 mm	P4	#38-40 0.100-0.079 mm	N6	#28-30 0.320-0.254 mm
J4	#38-40 0.100-0.079 mm	G7	#26-28 0.403-0.320 mm	P5	#34-36 0.160-0.127 mm	N7	#24-26 0.510-0.403 mm
J5	#34-36 0.160-0.127 mm	G8	#22-24 0.642-0.510 mm	P6	#30-32 0.254-0.201 mm	N8	#20-22 0.812-0.642 mm
J6	#30-32 0.254-0.201 mm	R3	#40-42 0.079-0.063 mm	P7	#26-28 0.403-0.320 mm	S4	#36-38 0.127-0.100 mm
J7	#26-28 0.403-0.320 mm	R4	#36-38 0.127-0.100 mm	P8	#22-24 0.642-0.510 mm	S5	#32-34 0.201-0.160 mm
H3	#42-44 0.063-0.050 mm	R5	#32-34 0.201-0.160 mm	M4	#38-40 0.100-0.079 mm	S6	#28-30 0.320-0.254 mm
H4	#38-40 0.100-0.079 mm	R6	#28-30 0.320-0.254 mm	M5	#34-36 0.160-0.127 mm	S7	#24-26 0.510-0.403 mm
H5	#34-36 0.160-0.127 mm	Q3	#28-30 0.320-0.254 mm	M6	#30-32 0.254-0.201 mm	S8	#20-22 0.812-0.642 mm